



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/528,414	03/18/2005	Christian Wulff	268259US0PCT	4430
22850	7590	12/02/2005	EXAMINER	
OBLON, SPIVAK, MCCLELLAND, MAIER & NEUSTADT, P.C. 1940 DUKE STREET ALEXANDRIA, VA 22314			BROWN, JENNINE M	
			ART UNIT	PAPER NUMBER
			1755	

DATE MAILED: 12/02/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/528,414

Applicant(s)

WULFF ET AL.

Examiner

Jennine M. Brown

Art Unit

1755

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☐ Responsive to communication(s) filed on ____.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-9 is/are pending in the application.
- 4a) Of the above claim(s) ____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) ____ is/are allowed.
- 6) ☒ Claim(s) 1-5, 7-9 is/are rejected.
- 7) ☒ Claim(s) 6 is/are objected to.
- 8) ☐ Claim(s) ____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on ____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. ____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. ____. |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date <u>5/24/05</u> . | 6) <input type="checkbox"/> Other: ____. |

Claims Analysis

Guerbet alcohols are generally defined as beta-branched primary alcohols and will be interpreted as such.

Applicant may assign formula I as having k, e, f, h and c as each being equal to zero which would result in applicant's formula I being equivalent to $M^1_a[M^2(CN)_b]_d$ therefore any reference meeting the shortened version or wherein any of the variables k, e, f, h and c are zero will be interpreted as meeting applicant's claimed formulation.

Claim Rejections - 35 USC § 112

Claim 2 is rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention. Claim 2 recites the limitation "wherein the total pressure does not exceed 11 bar over the course of the reaction" but claim 1 on which it depends recites "the sum of the inert gas partial pressure and the ethylene oxide partial pressure is 1.5 bar to 6.0 bar". There is insufficient antecedent basis for a total pressure not to exceed 11 bar limitation in claim 2 because this limitation is outside the claimed range of claim 1.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

The factual inquiries set forth in *Graham v. John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

1. Determining the scope and contents of the prior art.
2. Ascertaining the differences between the prior art and the claims at issue.
3. Resolving the level of ordinary skill in the pertinent art.
4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

Claims 1-4, 7, 8, 9 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ooms, et al. (US 6204357 B1).

See entire document.

Regarding claims 1, 3, 4, 7, 8, 9:

Ooms, et al. disclose a process for the preparation of polyetherpolyols by the polyaddition of alkylene oxides (ethylene oxide, propylene oxide, butylene oxide and mixtures thereof – col. 6, l. 58-60) to starter compounds (col. 6, l. 66-col. 7, l. 8) which contain active hydrogen atoms using a double metal cyanide catalyst (abstract; col. 6, l. 52-col. 7, l. 50) wherein said catalyst comprises either $(Y)_aM'(CN)_b(A)_c$ or $M_x[M'_x(CN)_y]_z$ and M is represented by Zn(II), Fe(II), Ni(II), Mn(II), Co(II), Sn(II), Pb(II), Fe(III), Mo(IV), Mo(VI), Al(III), V(V), V(IV), Sr(II), W(IV), W(VI), Cu(II) and Cr(III) and M' is represented by Fe(II), Fe(III), Co(II), Co(III), Cr(II), Cr(III), Mn(II), Mn(III), Ir(III), Ni(II), Rh(III), Ru(II), V(IV) and V(V) and CN is cyanide wherein k, e, f, h and c are each independently 0 (col. 3, l. 4-col. 4, l. 5). A represents an anion and may be the same or different with the anions being selected from the group consisting of halides,

Art Unit: 1755

hydroxides, sulfates, carbonates, cyanates, thiocyanates, isocyanates, isothiocyanates, carboxylates, oxalates and nitrates (col. 3, l. 21-25). Water miscible ligands disclosed include alcohols, aldehydes, ketones, ethers, esters, amides, urea, nitriles, sulfides and mixtures thereof (col. 4, l. 21-32) and can be optionally added with water (col. 4, l. 40).

Regarding claims 1, 2:

The preparation of polyetherpolyols are added having a total partial pressure increased to 2.5 bar (col. 9, l. 54-56, 59-61).

Regarding claims 1, 4:

Example 1 discloses Zn and Co as the values for M^1 and M^2 , respectively.

Guerbet alcohol is not specifically disclosed although the use of a branched primary alcohol (tert butanol) is disclosed. It would have been obvious to one of ordinary skill in the art to substitute the Guerbet alcohol for tert butanol because they have low irritation potential, are liquid to extremely low temperatures, are low in volatility, are reactive and can be used to make derivatives, exhibit good oxidative stability at elevated temperatures and exhibit improved stability over unsaturated products in many applications.

Claim 5 is rejected under 35 U.S.C. 103(a) as being unpatentable over Ooms, et al. (US 6204357 B1) as applied to claims 1-4, 7, 8, 9 above, and further in view of Clement, et al. (US 6355845 B1).

See entire document of Clement, et al. Ooms, et al. disclose a process for the preparation of at least one alkoxylate as disclosed supra. Ooms, et al. fail to

particularly point out that the catalyst has a crystalline structure. Clement, et al. cure the deficiency of Ooms, et al. by disclosing the polymerization of alkylene oxides using metal cyanide catalysts which are crystalline (col. 7, l. 44-46).

Double Patenting

The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. A nonstatutory obviousness-type double patenting rejection is appropriate where the conflicting claims are not identical, but at least one examined application claim is not patentably distinct from the reference claim(s) because the examined application claim is either anticipated by, or would have been obvious over, the reference claim(s). See, e.g., *In re Berg*, 140 F.3d 1428, 46 USPQ2d 1226 (Fed. Cir. 1998); *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) or 1.321(d) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent either is shown to be commonly owned with this application, or claims an invention made as a result of activities undertaken within the scope of a joint research agreement. Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

Claim 7 is provisionally rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 11-15 of copending US Application 2005/0170991 A1. Although the conflicting claims are not identical, they are not patentably distinct from each other because instant claim 7 is drawn to an alkoxylate product made by the process claim 1. Applicant needs to show that the product produced in the instant claims is not obvious over the copending alkoxylate mixture claimed.


This is a provisional obviousness-type double patenting rejection because the conflicting claims have not in fact been patented.

Allowable Subject Matter

Claim 6 is objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims. Prior art of record fails to fairly teach or suggest that said alkylene oxide mixture has an ethylene oxide fraction of more than 99%.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jennine M. Brown whose telephone number is (571) 272-1364. The examiner can normally be reached on M-R 9:30 AM - 7:30 PM; Fridays off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jerry Lorengo can be reached on (571) 272-1233. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.


J. A. LORENGO
SUPERVISORY PATENT EXAMINER

A Review of Guerbet Chemistry

Anthony J. O' Lenick, Jr.

Guerbet alcohols have been known for over 100 years since Marcel Guerbet pioneered the basic chemistry in the 1890s. This chemistry has made possible the synthesis of a regiospecific, beta-branched hydrophobe which introduces high-purity branching into the molecule. The ability to capitalize upon this reaction sequence and develop derivatives has resulted in the preparation of many materials that find use in applications where liquidity and lubrication are important, such as in metal lubrication, plastic mold release, paper processing, synlube, and personal care products. The chemistry results in a unique class of materials that remain underutilized to this day.

GUERBET ALCOHOLS

CHEMISTRY

Guerbet alcohols are the oldest and best-understood material in the class of compounds, first synthesized by Marcel Guerbet. The reaction sequence, which bears his name, is related to the Aldol Reaction and occurs at high temperatures under catalytic conditions. The overall reaction can be represented by the following equation;



The product is an alcohol with twice the molecular weight of the reactant alcohol minus a mole of water. The reaction proceeds by a number of sequential steps:

A) oxidation of alcohol to aldehyde.

B) Aldol condensation after proton extraction.

C) dehydration of the Aldol product.

D) hydrogenation of the allylic aldehyde.

The following information is known about the sequence of reactions [2]

1. The reaction can take place without catalyst, but it is strongly catalyzed in the presence of hydrogen transfer catalysts.
2. At low temperatures of 130-140°C, oxidation process (i.e. formation of the aldehyde) is the rate-limiting step.
3. At somewhat higher temperatures of 160-180°C, the rate-limiting step is the Aldol Condensation.
4. At even higher temperatures, other degradative reactions occur and can become dominant.

Many catalysts have been described in the literature as effective for the preparation of Guerbet Alcohols. These include, nickel, lead salts (U.S. Patent 3,119,880), oxides of copper, lead, zinc, chromium, molybdenum, tungsten, and manganese (U.S. Patent 3,558,716). Later US patents (U.S. Patent 3,979,466) include palladium compounds and silver compounds (U.S. Patent 3,864,407). There are advantages and disadvantages for each type.

The Cannizzaro Reaction is a major side reaction and is described as the disproportionation of two molecules of an aldehyde brought about by the action of sodium or potassium hydroxide to yield the corresponding alcohol and acid. [4]

Raw Materials for the Preparation of Guerbet Alcohols

Most commonly used are alcohols of natural origin which are primary, with even-

numbered, straight carbon chains. Guerbet alcohols are beta-branched primary alcohols. Oxo alcohols can also be used, but both reaction rate and conversions are reduced.

Guerbet alcohols also are subjected to a series of post-reaction steps that (a) remove unreacted alcohol (vacuum stripping), (b) remove unsaturation (hydrogenation), (c) remove Cannizzaro soap (filtration) and (d) remove color/odor bodies. These operations add to the cost of the product but can be minimized or eliminated in many applications.

Guerbet Alcohol Properties

Because they are primary, branched, and of high molecular weight, Guerbet alcohols:


- (1) have low irritation potential
- (2) are liquid to extremely low temperatures.
- (3) are low in volatility.
- (4) are reactive and can be used to make many derivatives.
- (5) are useful as superfatting agents.
- (6) are good lubricants.

Guerbet alcohols are essentially saturated hence;

- (1) they exhibit very good oxidative stability at elevated temperatures
- (2) they have excellent color initially and at elevated temperatures
- (3) they exhibit improved stability over unsaturated products in many applications.

GUERBET ACIDS

Guerbet acids are relatively new derivatives. They are prepared by the oxidation of Guerbet alcohols to produce primary carboxylic acids. Oxidative alkali fusion with alkali metal salts dehydrogenates the alcohol and gives excellent yields of carboxylic acids [6,7,8]



The regiospecificity, purity and liquidity of the starting Guerbet acid make these materials good candidates for the evaluation of the effects of branching.

Guerbet alcohols as well as acids melt at lower temperatures than linear alcohols containing the same number of carbon atoms (Tables 1 and 2).

Table 1 B Melting Points of Various Alcohols

Carbon Number	Linear	Guerbet
C12	24° C	- 30°C
C16	50° C	- 18°C
C18	58° C	- 8°C
C20	62° C	0°C
C24	69° C	19°C

Compared to alcohols with the same number of carbon atoms, the

corresponding acids melt at higher temperatures. A carboxylic acid is able to form two hydrogen bonds with another acid, while the corresponding alcohol is able to form only one [9]

Table 2 B Melting Points of Various Acids

Carbon Number	Linear	Guerbet
12	44°C	- 15°C
16	63°C	17°C
20	75°C	35°C
24	84°C	48°C

GUERBET ESTERS

One of the desired effects of introducing Guerbet branching into ester molecules is to extend their liquidity to very low temperatures. With the availability of Guerbet acids and alcohols, branching can be introduced into (a) the alcohol, (b) the acid, or (c) both. [10]

In the determination of liquidity, the ester is heated to clarity and allowed to cool slowly until the first development of a haze of solid. This temperature is recorded as the titer point. Titer points can differ from solidification points in that some esters do not solidify, but turned into slushy semi-solids. Results are in Tables 3 and 4.

Table 3 B Esters with 32 Carbon Atoms

Designation	Acid Structure	Alcohol Structure	Appearance	Titer Point
Cetyl Palmitate	Linear	Linear	White Solid	34° C

Hexyldecyl Palmitate	Linear	Guerbet	Slushy Liquid	50° C
Cetyl Hexyldecanoate	Guerbet	Linear	Yellow Liquid	9° C
Hexyldecyl Hexyldecanoate	Guerbet	Guerbet	Yellow Liquid	< 0° C

Table 4 B Esters with 40 Carbon Atoms

Designation	Acid Structure	Alcohol Structure	Appearance	Titer Point
Eicosanyl Eicosanoate	Linear	Linear	White Solid	38° C
Octyldodecyl Eicosanoate	Linear	Guerbet	White Solid	48° C
Eicosan- α yl Octyldodecanoate	Guerbet	Linear	Yellow Liquid	34° C
Octyldodecyl Octyldodecanoate	Guerbet	Guerbet	Yellow Liquid	< 0° C

Products with the lowest titer carry Guerbet branching in both the acid and alcohol parts of the molecule. The next lowest titer point is obtained when the Guerbet branch is in the acid moiety. Branching in the alcohol part results in the highest titer. Products derived from linear acids and linear alcohols differ substantially from those derived from linear acids and Guerbet alcohols. Specifically, the former are rock hard solids while the latter are liquids with a snowy precipitate.

Solubilities

Solubilities of various Guerbet derivatives in several solvents are given in Tables 5 and 6.

Table 5 B Esters With 32 Carbon Atoms

Designation	Alcohol	Acid	A	B	C	D	E
Cetyl Palmitate	Linear	Linear	i	s	s	i	s
Hexyldecyl Palmitate	Linear	Guerbet	i	s	s	i	s

Cetyl Hexyldecanoate	Guerbet	Linear	i	s	s	i	s
Hexyldecyl hexyldecanoate	Guerbet	Guerbet	l	s	s	i	s

Table 6 B Esters With 40 Carbon Atoms

Designation	Alcohol	Acid	A	B	C	D	E
-----	-----	-----	---	---	---	---	---
Eicosanyl Eicosanoate	Linear	Linear	i	s	s	i	s
Octyldodecyl Eicosanoate	Linear	Guerbet	i	s	s	i	s
Eicosan o yl Octyldodecanoate	Guerbet	Linear	i	s	s	i	s
Octyldodecyl Octyldodecanoate	Guerbet	Guerbet	l	s	s	i	s

Legend

A: water
C:cyclomethicone
E: mineral oil

B: isopropanol
D:dimethicone (350 Visc)

s = soluble

i = insoluble

Introduction of Guerbet branching into the ester molecule did not alter the solubility of the resultant ester.

Surfactant Derivatives

Guerbet Sulfates and Ether Sulfates

Sulfates and ether sulfates are workhorse anionic surfactants. One of the salient properties of a surfactant is the Krafft Point which is a measure of water solubility. It is defined as the temperature in °C at which a 1% dispersion becomes clear under gradual heat. The Krafft Point of sulfates rises with increasing molecular weight of the

hydrophobe or with the addition of propylene oxide to the hydrophobe. The Krafft Point decreases with addition of ethylene oxide. The Krafft Point provides another illustration of the differences between the linear and Guerbet-based sulfates. This is shown for sulfates in Table 7 and for ether sulfates in Table 8 below.

Table 7. B KRAFFT POINT °C B

Linear Alcohol Sulfate, Sodium Salt

Description	# Carbons	Krafft Point
-----	-----	-----
Sodium lauryl sulfate	12	16 °C
Sodium myristyl sulfate	14	28 °C
Sodium cetyl sulfate	16	45 °C
Sodium stearyl sulfate	18	56 °C
Sodium oleyl sulfate	18 -	29°C

Guerbet Alcohol Sulfate, Sodium Salt

Sodium salt of sulfated octyldodecanol	20	insoluble
--	----	-----------

Table 8 B KRAFFT POINT °C

Ethoxylated Linear Alcohol Sulfate, Sodium Salt

Description	# Carbons in hydrophobe	Krafft Point
Sodium cetereth-3-sulfate	16	19 °C
Sodium cetereth-2-sulfate	16	24°C

Sodium steareth-3-sulfate	18	32°C
Sodium steareth-2-sulfate	18	40°C
Sodium oleth-3-sulfate	18 -	26°C
Sodium oleth-2-sulfate	18 -	40°C

Ethoxylated Guerbet Alcohol Sulfates, Sodium Salt

Sodium salt of sulfated octyldodecanol-3 EO	20	Insol.
Sodium salt of sulfated octyldodecanol-5 EO	20	Insol
Sodium salt of sulfated Octyldodecanol-12 EO	20	91°C
Sodium salt of sulfated octyldodecanol-15 EO	20	58°C
Sodium salt of sulfated octyldodecanol-20 EO	20	0°C

The location of the branch within the hydrophobe has a dramatic effect upon functional properties of anionic surfactants, such as their HLB and emulsifying power [11]. The introduction of branching can shift the HLB by as many as 3 units. This is thought to relate to twin tail structure of Guerbet-based surfactants which promotes their micellization in the oil phase. Twin tail surfactants require less cosurfactant to make microemulsions. Guerbet ether sulfates are very efficient emulsifiers for oil and emulsify three to five times more oil than the sulfates made from linear hydrophobes.

Patent Summary

The great versatility of Guerbet chemistry can be seen in the great diversity of United States patents covering new compositions of matter, applications and processes for making and using Guerbet derivatives.

Compounds (Composition of Matter)

1. 6,093,856 Polyoxyalkylene surfactants, issued July, 2000 inventors: Cripe, Thomas; Conner, Daniel; Vinson, Phillip; Burckett, Laurent; James, Charles; Willman, Jenneth. Assigned Procter and Gamble Co.
2. 6,060,443 Mid-chain branched alkyl sulfate surfactants, issued May, 2000 inventors; Cripe, Thomas; Conner, Daniel; Vinson, Phillip; Burckett, Laurent; James, Charles; Willman, Jenneth. Assigned Procter and Gamble Co.
3. 6,013,813 Guerbet based sorbitan esters, issued Jan. 2000, inventor; O'Lenick, Jr. Anthony, assigned to Hansotech Inc.
4. 6,008,181 Mid-Chain branched Alkoxylated Sulfate Surfactants, issued Dec, 1999 inventors: Cripe, Thomas; Conner, Daniel; Vinson, Phillip; Burckett, Laurent; James, Charles; Willman, Jenneth. Assigned Procter and Gamble Co.
5. 5,929,263 Guerbet branched quaternary compounds, issued Jul 1999, inventor; O' Lenick, Jr. Anthony, assigned to Lambent Technologies Inc..
6. 5,919,959 Guerbet branched amine oxides, issued Jul 1999, inventor; O'Lenick, Jr. Anthony, assigned to Lambent Technologies Inc.
7. 5,919,743 Guerbet branched quaternary compounds in personal care applications, issued Jul 1999, inventor; O' Lenick, Jr. Anthony, assigned to Petroferm Inc.
8. 5,786,389 Guerbet castor esters, issued Jul 1999, inventors; O'Lenick, Jr. Anthony; Parkinson, Jeff K. assigned to Lambent Technologies Inc.

9. 5,756,785 Guerbet betaines, issued May 1999, inventor; O'Lenick, Jr. Anthony, assigned to Lambent Technologies Inc.
10. 5,744,626 Complex Guerbet acid esters, issued April 1999, inventor; O'Lenick, Jr. Anthony, assigned to Lambent Technologies Inc.
11. 5,717,119 Polyoxyalkylene glycol Guerbet esters, issued February 1999, inventor; O'Lenick, Jr. Anthony, assigned to Lambent Technologies Inc.
12. 5,646,321 Guerbet meadowfoam esters, issued Jul 1997, inventor; O'Lenick, Jr. Anthony, assigned to Siltech Inc.
13. 5,488,121 Di-Guerbet esters, issued Jan 1996, inventor; O'Lenick, Jr. Anthony, assigned to Siltech Inc.
14. 5,387,374 Guerbet carbonates, issued Feb 1995, inventors Westfechtel, Alfred; Bongardt, Frank; Ansmann, Achim, assigned to Henkel KgaA
15. 5,312,968 Fluorine containing Guerbet citrate esters, issued May 1994, inventors; O'Lenick, Jr. Anthony, and Buffa, Charles W., assigned to Siltech Inc. and Biosil Technologies Inc.
16. 5,264,006 Guerbet alkyl ether monoamines, issued Nov. 1993, inventors; Schilowitz, Alan; Krogh, James; Mokadam, Anita; Clumpner, Michael; and Berlowitz, Paul, assigned to Exxon Research.
17. 5,094,667 Guerbet alkyl ether mono amines, issued Mar. 1992, inventors; Schilowitz, Alan; Krogh, James; Mokadam, Anita; Clumpner, Michael; and Berlowitz, Paul, assigned to Exxon Research.

18. 4,830,769 Propoxylated Guerbet alcohols and esters thereof , issued May 1989, inventors; O'Lenick, Jr. Anthony, and Bilbo, Raymond Edward, assigned to GAF Corporation.

19. 4,800,077 Guerbet quaternary compounds, issued Jan1989, inventors; O'Lenick, Jr. Anthony, and Smith, Wayne C., assigned to GAF Corporation.

20. 4,767,815 Guerbet alcohol esters, issued Aug 1988, inventor; O'Lenick, Jr. Anthony, assigned to GAF Corporation.

21. 4,731,190 Alkoxyated Guerbet alcohols and esters as metal working lubricants, issued Jan1984, inventor; O'Lenick, Jr. Anthony, assigned to Alkaril Chemicals Inc.

22. 4,425,458 Polyguerbet alcohol esters, issued Jan1984 inventors; Lindner, Robert and O'Lenick, Jr. Anthony, assigned to Henkel Corporation.

Applications (Formulations)

1. 6,087,309 Liquid cleaning compositions containing selected mid-chain branched surfactants- issued Jul 2000, inventors Vinson, Phillip; Foley, Peter; Cripe, Thomas; Connor, Daniel, assigned to Procter and Gamble Co.

2. 6,046,152 Liquid cleaning compositions containing selected mid-chain branched surfactants, issued Apr 2000, inventors Vinson, Phillip; Foley, Peter; Cripe, Thomas; Connor, Daniel, assigned to Procter and Gamble Co.

3. 6,036,947 Transfer resistant high lustre lipstick compositions, issued Mar 2000, inventors Barone, Salvatore; Krog, Ann; Jose, Natividad and Ordino, Renee, assigned to Revlon Consumer Products Co.
4. 6,015,781 Detergent compositions containing selected mid-chain branched surfactants , issued Jan 0, inventors Vinson, Phillip; Foley, Peter; Cripe, Thomas; Connor, Daniel, assigned to Procter and Gamble Co.
5. 5,837,223 Transfer resistant high lustre cosmetic stick compositions, issued Nov 1998, inventors Barone, Salvatore; Krog, Ann; Jose, Natividad and Ordino, Renee, assigned to Revlon Consumer Products Co.
6. 5,736,571 Guerbet meadowfoam esters in personal care, issued Apr 1998, inventor O'Lenick, Jr. Anthony, assigned to Lambent Technologies Inc and FanTech Ltd.
7. 5,709,739 Release agents for hydraulic binders, - issued Jan 1998, inventors Wittich, Leonhard; Heck, Stephan; Freichenhagen Lothar; Demmering, Guenther; Komp, Horst; Koehler, Michael; Wegener, Ingo and Sladek, Hans, assigned to Henkel KgaA.
8. 5,686,087 Cosmetic and/or pharmaceutical formulations with an improved feeling on the skin based on mixed Guerbet alcohols, issued Nov 1997, inventors Ansmann, Achim; Kawa, Rolf; Mohr, Klaus and Koester Josef, not assigned.
9. 5,677,436 Process for making alkyl polyglcosides having improved aesthetic and tactile properties, issued Oct 1997, inventors Desai, S; Hessel, Fred; John; Urfer, Allen and Allen, Charles, assigned to Henkel Corporation.
10. 5,663,117 Alkoxylated primary alcohol surfactants providing enhanced efficacy and/or rainfastness to glyphosate formulations - issued Sept 1997 inventor Warner, James assigned to Monsanto Co.

11. 5,656,200 Foaming emulsions- issued Aug 1997, inventors Boettcher, Axel; Hensen, Hermann; Seipel, Werner; Tesmann, Holger, assigned to Henkel KGaA.
12. 5,639,791 Di-Guerbet esters in personal care applications - issued Jun 1997. Inventor O'Lenick, Anthony J. assigned to Siltech Inc.
13. 5,605,683 Alkyl polyglycosides in hair skin cleansing compositions- issued Feb 1997, inventors Desai, Sureshchandra; Hessel, Fred; Urfer, Allen; Allen, Charles; Assigned to Henkel Corporation.
14. 5,567,808 Alkyl polyglycosides having improved aesthetic and tactile properties issued Feb 1997, inventors Desai, Sureshchandra; Hessel, Fred; Urfer, Allen; Allen, Charles; Assigned to Henkel Corporation.
15. 5,494,938 Oil-in-water emulsions -issued Feb 1996, inventors Kawa, Rolf; Ansmann, Achim; Wuerth, Manfred; Tessman, Holger; Foerster, Thomas, assigned to Henkel Kgaa.
16. 5,476,517 Use of Guerbet alcohols for preventing fatty spew on leather - issued Dec 1995, inventors Zauns-Huber, Ruldolf; Ruschensky, Emil; Wolter, Fredi, assigned to Henkel KGaA.
17. 5,421,907 Process for cold cleaning oil-contaminated metal surfaces with 2-ethylhexyl esters of fatty acids - issued Jun 1995 inventors Nieendick, Claus; Schmid, Karl; Mueller, Heinz; Herold, Claus-Peter, assigned to Henkel KGaA.
19. 5,360,560 Universal lubricant based on a synthetic oil solution - issued Nov 1994, inventors Schmid, Karl; Bongardt, Frank; Roeder, Juergen; Wuest, Reinhold, assignet to Henkel KGaA.

20. 5,298,038 Guerbet branched alkoxyated amine detergent additives - issued Mar 1994, inventor Hashimoto, Jiro; Nomoto, Shogo; assigned to Kao Corporation.

21. 5,286,397 Base oil for the lubricant industry - issued Feb 1994, inventor Schmid, Karl; Bongardt, Frank; Wuest, Reinhold, assigned to Henkel KGaA.

22. 5,238,985 Thermoplastic molding compositions- issued Aug 1993, inventor O'Lenick, Anthony J., assigned to Rhone Poulenc Surfactants and Specialities.

Conclusion

Guerbet chemistry offers a unique set of starting materials for the preparation of highly effective surfactants and specialty materials for a variety of markets. Although the basic chemistry has been known for one hundred years, the application of these materials in high performance products is a relatively new phenomenon as evidenced by the patent literature.

The effect of branching on the performance properties of Guerbet surfactants will result in continuing commercial development of products based upon this chemistry. The high cost of Guerbet products will, however, cause these products to remain limited to high-performance specialties where cost performance rather than just cost per pound will dictate what is sold.

References

1. M. Guerbet, C.R. *Acad. Sci. Paris*, 128, 511; 1002 (1899)
2. Veibel, S and Nielsen, J., *Tetrahedron*, 23, 1723-1733 (1967)
3. S., Cannizzaro, *Liebigs Ann. Chem.* 88, 129, (1853)
4. Geissman, T.A., *Organic Reactions*, Vol II, p.94 Wiley, New York (1944).

5. O'Lenick, Jr. Anthony J. and Bilbo, Raymond E., *Guerbet Alcohols, Versatile Hydrophobes*, SCCS, April, 1987.
6. Henkel, K., *Fatty Alcohols, Raw Materials, Process and Applications*, Henkel KGaA, 1982, p.163.
7. Stein, W. in: *Method Chim.* 5 (1975) p. 563-573.
8. German Patent 538,388 October 1931.
9. Morrison, Robert and Boyd, Robert, *Organic Chemistry*, 3rd Edition, (1973) p. 582
10. O'Lenick, Anthony J. *Surfactants Chemistry and Properties*, Allured Publishing, 1999, p. 28-30.
11. Sunwoo, Chunkee, and Wade, William H., *J. Dispersion Sci and Tech*, 13, 491, 1992.